






DIAGNOSTICS

▲ Avoid large layout shifts — 4 layout shifts found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Element	Layout shift score
<p>...css/card-row-1836dc10.css (dev.gaf.com)</p> <p>...css/swiper-bundle-688e6f9f.css (dev.gaf.com)</p> <p>...css/logo-carousel-row-aea0d983.css (dev.gaf.com)</p> <p>...css/tabbed-featured-content-37afc467.css (dev.gaf.com)</p> <p>...css/footer-f8296c86.css (dev.gaf.com)</p>	<p>1.000</p> <p>A late network request adjusted the page layout</p> <p>A late network request adjusted the page layout</p> <p>A late network request adjusted the page layout</p> <p>A late network request adjusted the page layout</p> <p>A late network request adjusted the page layout</p>
 <p>section.homepage-masthead &gt; figure.figure &gt; div.figure__media-wrapper &gt; ::after &lt;::after&gt;</p>	<p>0.074</p>
 <p>nav.header__primary</p>	<p>0.001</p>
 <p>li.header__utility-dropdown.header__utility-persona</p>	<p>0.000</p>

▲ Minimize main-thread work — 2.5 s



Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	1,044 ms
Other	731 ms
Style & Layout	562 ms
Script Parsing & Compilation	66 ms
Rendering	57 ms
Parse HTML & CSS	49 ms
Garbage Collection	22 ms

▲ Reduce the impact of third-party code — Third-party code blocked the main thread for 410 ms



Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact](#). TBT


Third-Party	Transfer Size	Main-Thread Blocking Time
Google Tag Manager <span>Tag-Manager</span>	<b>330 KiB</b>	<b>407 ms</b>
/gtm.js?id=... (www.googletagmanager.com)	109 KiB	346 ms
/gtag/js?id=G-NZXTQY46ZN&l=dataLayer&cx=c (www.googletagmanager.com)	97 KiB	61 ms
/gtm.js?id=GTM-PGLSJ6QV (www.googletagmanager.com)	123 KiB	0 ms
cloudfront.net	<b>85 KiB</b>	<b>0 ms</b>
/sitecore-engage-v.1.3.0.min.js (d1mj578wat5n4o.cloudfront.net)	49 KiB	0 ms
...98/web-lib.min.js (d35vb5cccm4xzp.cloudfront.net)	35 KiB	0 ms
...78a3da9.../web-version.min.js (d35vb5cccm4xzp.cloudfront.net)	2 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
azure.com	<b>57 KiB</b>	<b>0 ms</b>
...b/ai.2.min.js (js.monitor.azure.com)	57 KiB	0 ms
//v2/track (eastus-0.in.applicationinsights.azure.com)	0 KiB	0 ms
mpeasylink.com	<b>3 KiB</b>	<b>0 ms</b>
/mpel/mpel.js (gafcom.mpeasylink.com)	2 KiB	0 ms
/mpel/mpel_storage.html?cmd=... (gafcom.mpeasylink.com)	1 KiB	0 ms
/mpel/mpel?href=... (gafcom.mpeasylink.com)	0 KiB	0 ms
sitecorecloud.io	<b>1 KiB</b>	<b>0 ms</b>
/v2/callFlows (api-engage-us.sitecorecloud.io)	1 KiB	0 ms
/v1.2/events (api-engage-us.sitecorecloud.io)	0 KiB	0 ms
...variants/249e8389-a1e5-40f2-bd46-a6762c13de00 (api-engage-us.sitecorecloud.io)	0 KiB	0 ms
Google Analytics <span>Analytics</span>	<b>0 KiB</b>	<b>0 ms</b>
/g/collect?v=... (analytics.google.com)	0 KiB	0 ms
web-2-tel.com	<b>0 KiB</b>	<b>0 ms</b>
/org-sdk?identifier=2577eab... (web-2-tel.com)	0 KiB	0 ms

▲ Avoid an excessive DOM size — 1,030 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size](#). TBT

Statistic	Element	Value
Total DOM Elements		1,030
Maximum DOM Depth	span	19

Statistic	Element	Value
Maximum Child Elements	 svg	36

▲ Enable text compression — Potential savings of 39 KiB ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) FCP LCP

URL	Transfer Size	Potential Savings
cloudfront.net	48.0 KiB	38.6 KiB
/sitecore-engage-v.1.3.0.min.js (d1mj578wat5n4o.cloudfront.net)	48.0 KiB	38.6 KiB

▲ Reduce unused CSS — Potential savings of 39 KiB ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP

URL	Transfer Size	Potential Savings
gaf.com <span>1st Party</span>	43.5 KiB	38.6 KiB
...css/styles.css?v=1.0.8976.23267 (dev.gaf.com)	43.5 KiB	38.6 KiB

▲ Page prevented back/forward cache restoration — 2 failure reasons ^

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)

Failure reason	Failure type
The page has an unload handler in the main frame.	Actionable

Failure reason

Failure type

https://dev.gaf.com

There were permission requests upon navigating away.

Pending browser support

https://dev.gaf.com

Image elements do not have explicit [width](#) and [height](#)




Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

URL



img.masked-image-with-content\_\_top-image



img.masked-image-with-content\_\_top-image

Serve images in next-gen formats — Potential savings of 10 KiB



Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#) FCP LCP

URL	Resource Size	Potential Savings
gaf.com <span>1st Party</span>	27.3 KiB	9.5 KiB
img.header__primary-featured-image ...featured-content/500x300.jpg? as=... (dev.gaf.com)	27.3 KiB	9.5 KiB



A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

Show 3rd-party resources (6)

URL	Cache TTL	Transfer Size
gaf.com <span style="border: 1px solid blue; padding: 2px;">1st Party</span>		<b>694 KiB</b>
...css/logo-carousel-row-aea0d983.css (dev.gaf.com)	1d 50m 42s	1 KiB
...scripts/index-7789a148.js (dev.gaf.com)	1d 50m 59s	2 KiB
...css/card-row-1836dc10.css (dev.gaf.com)	1d 50m 59s	2 KiB
...scripts/navigation-b4d9163b.js (dev.gaf.com)	1d 51m	19 KiB
...scripts/swiper-bundle.min-94dbbf2e.js (dev.gaf.com)	1d 51m 21s	1 KiB
...scripts/vendor-1796ecb8.js (dev.gaf.com)	1d 51m 27s	15 KiB
...scripts/alert-banner-c0491c31.js (dev.gaf.com)	1d 51m 27s	1 KiB
...css/masonry-gallery-408b9584.css (dev.gaf.com)	1d 51m 30s	1 KiB
...Scripts/@headless-3de195ba.js (dev.gaf.com)	1d 51m 31s	78 KiB
...scripts/@react-dom-a49ada03.js (dev.gaf.com)	1d 51m 31s	40 KiB
...scripts/@headless-3de195ba.js (dev.gaf.com)	1d 51m 32s	78 KiB
...scripts/@secure-ls-0f3f561e.js (dev.gaf.com)	1d 51m 34s	14 KiB

URL	Cache TTL	Transfer Size
...Scripts/alert-banner-c0491c31.js (dev.gaf.com)	1d 51m 36s	1 KiB
...css/document-cart-68e22285.css (dev.gaf.com)	1d 51m 38s	2 KiB
...Scripts/header-b3f2f407.js (dev.gaf.com)	1d 51m 42s	4 KiB
...Scripts/index-33a628ec.js (dev.gaf.com)	1d 51m 43s	2 KiB
...scripts/constants-0ee92e9f.js (dev.gaf.com)	1d 51m 44s	1 KiB
...css/call-to-action-row-with-image-dcb551e5.css (dev.gaf.com)	1d 51m 47s	1 KiB
...Scripts/engine-ab66680d.js (dev.gaf.com)	1d 51m 49s	1 KiB
...Scripts/focus-trap.esm-072c478c.js (dev.gaf.com)	1d 51m 50s	5 KiB
...css/content-grid-88fed0ce.css (dev.gaf.com)	1d 51m 50s	2 KiB
...css/swiper-bundle-688e6f9f.css (dev.gaf.com)	1d 51m 51s	5 KiB
...scripts/breakpoints-f43a86bc.js (dev.gaf.com)	1d 51m 51s	1 KiB
...Scripts/queryString-ec671c1d.js (dev.gaf.com)	1d 51m 53s	1 KiB
...scripts/logo-carousel-row-66ee3b7d.js (dev.gaf.com)	1d 51m 54s	2 KiB
...Scripts/masonry-gallery-2c883418.js (dev.gaf.com)	1d 51m 54s	1 KiB

URL	Cache TTL	Transfer Size
...Scripts/content-grid-88ef622d.js (dev.gaf.com)	1d 51m 55s	2 KiB
...Scripts/testimonial-carousel-9e2b7e58.js (dev.gaf.com)	1d 51m 55s	2 KiB
...css/tabbed-featured-content-37afc467.css (dev.gaf.com)	1d 51m 57s	2 KiB
...Scripts/swiper-bundle.min-94dbbf2e.js (dev.gaf.com)	1d 51m 59s	1 KiB
...Scripts/logo-carousel-row-66ee3b7d.js (dev.gaf.com)	1d 52m 3s	2 KiB
...css/testimonial-carousel-10c173d9.css (dev.gaf.com)	1d 52m 8s	1 KiB
...scripts/queryString-ec671c1d.js (dev.gaf.com)	1d 52m 13s	1 KiB
...Scripts/search-keys-9f2a758a.js (dev.gaf.com)	1d 52m 17s	1 KiB
...Scripts/zip-ef80688d.js (dev.gaf.com)	1d 52m 22s	1 KiB
...Scripts/@jszip-8b0ad6af.js (dev.gaf.com)	1d 52m 23s	29 KiB
...Scripts/tabbed-featured-content-47502721.js (dev.gaf.com)	1d 52m 23s	2 KiB
...Scripts/navigation-b4d9163b.js (dev.gaf.com)	1d 52m 24s	19 KiB
...Scripts/main.bundle.js (dev.gaf.com)	1d 52m 24s	11 KiB
...scripts/header-b3f2f407.js (dev.gaf.com)	1d 52m 24s	4 KiB

URL	Cache TTL	Transfer Size
...scripts/index-33a628ec.js (dev.gaf.com)	1d 52m 24s	2 KiB
...css/footer-f8296c86.css (dev.gaf.com)	1d 52m 24s	2 KiB
...scripts/bodyScrollLock.esm-e1f8a6eb.js (dev.gaf.com)	1d 52m 24s	2 KiB
...Scripts/bodyScrollLock.esm-e1f8a6eb.js (dev.gaf.com)	1d 52m 24s	2 KiB
...css/link-grid-b8505f80.css (dev.gaf.com)	1d 52m 24s	1 KiB
...scripts/index.modern-2d30ca60.js (dev.gaf.com)	1d 52m 24s	1 KiB
...Scripts/index.modern-2d30ca60.js (dev.gaf.com)	1d 52m 24s	1 KiB
...scripts/homepage-masthead-31c89d78.js (dev.gaf.com)	1d 52m 24s	1 KiB
...Scripts/breakpoints-f43a86bc.js (dev.gaf.com)	1d 52m 24s	1 KiB
...Scripts/constants-0ee92e9f.js (dev.gaf.com)	1d 52m 24s	1 KiB
...scripts/search-keys-9f2a758a.js (dev.gaf.com)	1d 52m 24s	1 KiB
...Scripts/@react-dom-a49ada03.js (dev.gaf.com)	1d 52m 25s	40 KiB
...scripts/@jszip-8b0ad6af.js (dev.gaf.com)	1d 52m 25s	29 KiB
...Scripts/vendor-1796ecb8.js (dev.gaf.com)	1d 52m 25s	15 KiB

URL	Cache TTL	Transfer Size
...Scripts/@secure-ls-0f3f561e.js (dev.gaf.com)	1d 52m 25s	14 KiB
...scripts/focus-trap.esm-072c478c.js (dev.gaf.com)	1d 52m 25s	5 KiB
...Scripts/index-7789a148.js (dev.gaf.com)	1d 52m 25s	2 KiB
...scripts/tabbed-featured-content-47502721.js (dev.gaf.com)	1d 52m 25s	2 KiB
...scripts/content-grid-88ef622d.js (dev.gaf.com)	1d 52m 25s	2 KiB
...css/testimonial-card-516a7b70.css (dev.gaf.com)	1d 52m 25s	2 KiB
...scripts/testimonial-carousel-9e2b7e58.js (dev.gaf.com)	1d 52m 25s	2 KiB
...css/masked-image-with-content-46a94d64.css (dev.gaf.com)	1d 52m 25s	1 KiB
...scripts/engine-ab66680d.js (dev.gaf.com)	1d 52m 25s	1 KiB
...scripts/footer-029bd0e6.js (dev.gaf.com)	1d 52m 25s	1 KiB
...Scripts/footer-029bd0e6.js (dev.gaf.com)	1d 52m 25s	1 KiB
...Scripts/homepage-masthead-31c89d78.js (dev.gaf.com)	1d 52m 25s	1 KiB
...scripts/masonry-gallery-2c883418.js (dev.gaf.com)	1d 52m 25s	1 KiB
...scripts/zip-ef80688d.js (dev.gaf.com)	1d 52m 25s	1 KiB

URL	Cache TTL	Transfer Size
...Scripts/figure-43fe760a.js (dev.gaf.com)	5d 20h 20m 40s	3 KiB
...motionpoint/mp_linkcode.js (dev.gaf.com)	5d 20h 21m 21s	1 KiB
...scripts/figure-43fe760a.js (dev.gaf.com)	5d 20h 23m 8s	3 KiB
...css/styles.css?v=1.0.8976.23267 (dev.gaf.com)	5d 21h 34m 37s	44 KiB
...Scripts/main.bundle.js?v=1.0.8976.23267 (dev.gaf.com)	5d 21h 34m 41s	11 KiB
...fonts/itcavantgardestd-bkobl.woff2 (dev.gaf.com)	8d 1h 14m 41s	14 KiB
...fonts/itcavantgardestd-md.woff2 (dev.gaf.com)	8d 1h 16m 10s	13 KiB
...fonts/itcavantgardestd-bk.woff2 (dev.gaf.com)	16d 23h 6m 49s	13 KiB
...fonts/itcavantgardestd-bold.woff2 (dev.gaf.com)	16d 23h 8m 11s	13 KiB
...fonts/itcavantgardestd-demi.woff2 (dev.gaf.com)	24d 51m 11s	13 KiB
...fonts/itcavantgardestd-xlt.woff2 (dev.gaf.com)	24d 51m 26s	13 KiB
...fonts/itcavantgardestd-boldobl.woff2 (dev.gaf.com)	24d 51m 29s	14 KiB
...fonts/itcavantgardestd-demiobl.woff2 (dev.gaf.com)	24d 51m 48s	14 KiB
...fonts/itcavantgardestd-mdobl.woff2 (dev.gaf.com)	24d 52m 14s	14 KiB

URL	Cache TTL	Transfer Size
...fonts/itcavantgardestd-xtobl.woff2 (dev.gaf.com)	24d 52m 24s	14 KiB
cloudfront.net		<b>85 KiB</b>
/sitecore-engage-v.1.3.0.min.js (d1mj578wat5n4o.cloudfront.net)	None	49 KiB
...98/web-lib.min.js (d35vb5cccm4xzp.cloudfront.net)	None	35 KiB
...78a3da9.../web-version.min.js (d35vb5cccm4xzp.cloudfront.net)	None	2 KiB
azure.com		<b>57 KiB</b>
...b/ai.2.min.js (js.monitor.azure.com)	30m	57 KiB
mpeasylink.com		<b>2 KiB</b>
/mpel/mpel.js (gafcom.mpeasylink.com)	None	2 KiB
/mpel/mpel?href=... (gafcom.mpeasylink.com)	None	0 KiB

Eliminate render-blocking resources — Potential savings of 0 ms ^

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

URL	Transfer Size	Potential Savings
gaf.com <span>1st Party</span>	<b>44.0 KiB</b>	<b>80 ms</b>
...css/styles.css?v=1.0.8976.23267 (dev.gaf.com)	44.0 KiB	80 ms

Avoid serving legacy JavaScript to modern browsers ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) FCP LCP

URL	Potential Savings
gaf.com <span>1st Party</span>	<b>0.0 KiB</b>
...Scripts/vendor-1796ecb8.js (dev.gaf.com)	0.0 KiB
<span>vendor-1796ecb8.js:1</span> focus-visible	
...Scripts/@secure-ls-0f3f561e.js (dev.gaf.com)	0.0 KiB
<span>@secure-ls-0f3f561e.js:1</span> @babel/plugin-transform-classes	

Reduce unused JavaScript — Potential savings of 88 KiB ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity.

[Learn how to reduce unused JavaScript.](#) FCP LCP

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
gaf.com <span>1st Party</span>	<b>77.5 KiB</b>	<b>56.0 KiB</b>
...Scripts/@headless-3de195ba.js (dev.gaf.com)	77.5 KiB	56.0 KiB
...	77.4 KiB	56.0 KiB
Google Tag Manager <span>Tag-Manager</span>	<b>97.4 KiB</b>	<b>31.5 KiB</b>
/gtag/js?id=G-NZXTQY46ZN&l=dataLayer&cx=c (www.googletagmanager.com)	97.4 KiB	31.5 KiB

JavaScript execution time — 0.9 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (3)

URL	Total CPU Time	Script Evaluation	Script Parse
Google Tag Manager <span>Tag-Manager</span>	<b>843 ms</b>	<b>547 ms</b>	<b>29 ms</b>
/gtm.js?id=... (www.googletagmanager.com)	710 ms	426 ms	19 ms

URL	Total CPU Time	Script Evaluation	Script Parse
/gtag/js?id=G-NZXTQY46ZN&l=dataLayer&cx=c (www.googletagmanager.com)	133 ms	121 ms	10 ms
gaf.com <span>1st Party</span>	<b>741 ms</b>	<b>151 ms</b>	<b>4 ms</b>
https://dev.gaf.com	565 ms	31 ms	4 ms
...Scripts/main.bundle.js?v=1.0.8976.23267 (dev.gaf.com)	108 ms	103 ms	0 ms
...Scripts/header-b3f2f407.js (dev.gaf.com)	69 ms	16 ms	0 ms
Unattributable	<b>547 ms</b>	<b>70 ms</b>	<b>0 ms</b>
Unattributable	547 ms	70 ms	0 ms
azure.com	<b>164 ms</b>	<b>133 ms</b>	<b>4 ms</b>
...b/ai.2.min.js (js.monitor.azure.com)	164 ms	133 ms	4 ms

○ Avoid long main-thread tasks — 7 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

Show 3rd-party resources (5)

URL	Start Time	Duration
Google Tag Manager <span>Tag-Manager</span>		<b>501 ms</b>
/gtm.js?id=... (www.googletagmanager.com)	1,082 ms	192 ms
/gtm.js?id=... (www.googletagmanager.com)	1,513 ms	127 ms
/gtag/js?id=G-NZXTQY46ZN&l=dataLayer&cx=c (www.googletagmanager.com)	1,640 ms	127 ms
/gtm.js?id=... (www.googletagmanager.com)	1,027 ms	55 ms
gaf.com <span>1st Party</span>		<b>134 ms</b>

URL	Start Time	Duration
https://dev.gaf.com	375 ms	134 ms
azure.com		67 ms
...b/ai.2.min.js (js.monitor.azure.com)	1,403 ms	67 ms
Unattributable		56 ms
Unattributable	713 ms	56 ms

○ Initial server response time was short — Root document took 350 ms ^

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
gaf.com <span>1st Party</span>	350 ms
https://dev.gaf.com	350 ms

○ Avoid non-composited animations — 13 animated elements found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS


Element	Name
div#primary-menu-primary-nav--5d90631c-78ad-4e7c-a121-8d0b8b8558d5.header__primary-submenu	dropdw n-menu- hide
Unsupported CSS Property: display  	
ul#header-utility--8b09d547-47da-481d-8efd-c9a277e413e3.header__utility-dropdown-list	

Element

Name

Unsupported CSS Properties: clip-path, visibility


dropdown  
n-hide



ul#persona-dropdown--67a1f0ba-511b-4244-81d6-19cc059a6582".header\_\_utility-dropdown-list

Unsupported CSS Properties: clip-path, visibility

dropdown  
n-hide



ul#language-dropdown--16888604-6a32-4be7-b962-1262e07ce199.header\_\_utility-dropdown-list

Unsupported CSS Properties: clip-path, visibility

dropdown  
n-hide

div#primary-menu-primary-nav--38bcd841-8374-4efe-b8aa-5432a0beac8e.header\_\_primary-submenu

Unsupported CSS Property: display

dropdown  
n-menu-  
hide

div#primary-menu-primary-nav--f14b4dfa-8853-4081-b823-a735a347905d.header\_\_primary-submenu

Unsupported CSS Property: display

dropdown  
n-menu-  
hide

div#primary-menu-primary-nav--cde6f55c-4fa6-4e6b-865d-cb168ecd6a23.header\_\_primary-submenu

Unsupported CSS Property: display

dropdown  
n-menu-  
hide

div#primary-menu-primary-nav--61190e25-9fac-4f7a-8cd1-36e8b9bde8d4.header\_\_primary-submenu

Unsupported CSS Property: display

dropdown  
n-menu-  
hide



button#ot-sdk-btn.footer\_\_legal-link.ot-sdk-show-settings

**Element****Name**

Unsupported CSS Property: color

color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-width

border-left-width

Unsupported CSS Property: border-right-color

border-right-color

Unsupported CSS Property: font-size

font-size

Unsupported CSS Property: border-right-width

border-right-width

Unsupported CSS Property: line-height

line-height

Unsupported CSS Property: border-top-color

border-top-color

Unsupported CSS Property: padding-bottom

padding-bottom

Unsupported CSS Property: border-top-width

border-top-width

Unsupported CSS Property: border-bottom-color

border-bottom-color

Unsupported CSS Property: padding-left

padding-left

Unsupported CSS Property: padding-right

padding-right

Unsupported CSS Property: padding-top

padding-top

Unsupported CSS Property: border-bottom-width

border-bottom-width

**button.swiper-button-prev**

Unsupported CSS Property: height

height

Unsupported CSS Property: width

width

Element	Name
Unsupported CSS Property: color	color
Unsupported CSS Property: z-index	z-index
Unsupported CSS Property: margin-top	margin-top
<b>button.swiper-button-prev.swiper-button-disabled.swiper-button-lock</b>	
Unsupported CSS Property: height	height
Unsupported CSS Property: width	width
Unsupported CSS Property: color	color
Unsupported CSS Property: z-index	z-index
Unsupported CSS Property: margin-top	margin-top
Unsupported CSS Property: left	left
<b>button.swiper-button-next</b>	
Unsupported CSS Property: height	height
Unsupported CSS Property: width	width
Unsupported CSS Property: color	color
Unsupported CSS Property: z-index	z-index
Unsupported CSS Property: margin-top	margin-top
<b>button.swiper-button-next.swiper-button-disabled.swiper-button-lock</b>	
Unsupported CSS Property: height	height
Unsupported CSS Property: width	width
Unsupported CSS Property: color	color
Unsupported CSS Property: z-index	z-index
Unsupported CSS Property: margin-top	margin-top
Unsupported CSS Property: right	right

Avoids enormous network payloads — Total size was 1,332 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#)

Show 3rd-party resources (5)

URL	Transfer Size
Google Tag Manager <span>Tag-Manager</span>	<b>329.9 KiB</b>
/gtm.js?id=GTM-PGLSJ6QV (www.googletagmanager.com)	123.1 KiB
/gtm.js?id=... (www.googletagmanager.com)	109.4 KiB
/gtag/js?id=G-NZXTQY46ZN&l=dataLayer&cx=c (www.googletagmanager.com)	97.5 KiB
gaf.com <span>1st Party</span>	<b>280.4 KiB</b>
...Scripts/@headless-3de195ba.js (dev.gaf.com)	78.1 KiB
...scripts/@headless-3de195ba.js (dev.gaf.com)	78.1 KiB
...css/styles.css?v=1.0.8976.23267 (dev.gaf.com)	44.0 KiB
...scripts/@react-dom-a49ada03.js (dev.gaf.com)	40.1 KiB
...Scripts/@react-dom-a49ada03.js (dev.gaf.com)	40.1 KiB
azure.com	<b>56.5 KiB</b>
...b/ai.2.min.js (js.monitor.azure.com)	56.5 KiB
cloudfront.net	<b>48.5 KiB</b>
/sitecore-engage-v.1.3.0.min.js (d1mj578wat5n4o.cloudfront.net)	48.5 KiB

○ Avoid chaining critical requests — 66 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#)

Maximum critical path latency: **2,425.766 ms**

*Initial Navigation*

https://dev.gaf.com

...css/styles.css?v=1.0.8976.23267 (dev.gaf.com) - **76.153 ms, 44.02 KiB**

...motionpoint/mp\_linkcode.js (dev.gaf.com) - **82.143 ms, 1.26 KiB**

...Scripts/main.bundle.js?v=1.0.8976.23267 (dev.gaf.com)

- ...Scripts/vendor-1796ecb8.js (dev.gaf.com)
  - ...css/footer-f8296c86.css (dev.gaf.com) - **132.259 ms, 1.77 KiB**
  - ...css/tabbed-featured-content-37afc467.css (dev.gaf.com) - **115.699 ms, 1.77 KiB**
  - ...css/logo-carousel-row-aea0d983.css (dev.gaf.com) - **119.771 ms, 1.43 KiB**
  - ...css/swiper-bundle-688e6f9f.css (dev.gaf.com) - **133.24 ms, 5.20 KiB**
  - ...css/card-row-1836dc10.css (dev.gaf.com) - **133.353 ms, 2.13 KiB**
  - ...css/masonry-gallery-408b9584.css (dev.gaf.com) - **160.358 ms, 1.47 KiB**
  - ...css/link-grid-b8505f80.css (dev.gaf.com) - **157.651 ms, 1.30 KiB**
  - ...css/content-grid-88fed0ce.css (dev.gaf.com) - **170.526 ms, 1.77 KiB**
  - ...css/testimonial-carousel-10c173d9.css (dev.gaf.com) - **152.161 ms, 1.36 KiB**
  - ...css/masked-image-with-content-46a94d64.css (dev.gaf.com) - **151.479 ms, 1.50 KiB**
  - ...css/call-to-action-row-with-image-dcb551e5.css (dev.gaf.com) - **142.375 ms, 1.26 KiB**
  - ...css/testimonial-card-516a7b70.css (dev.gaf.com) - **153.329 ms, 1.75 KiB**
  - ...css/document-cart-68e22285.css (dev.gaf.com) - **151.789 ms, 2.06 KiB**
- ...Scripts/logo-carousel-row-66ee3b7d.js (dev.gaf.com) - **51.686 ms, 1.74 KiB**
- ...scripts/figure-43fe760a.js (dev.gaf.com) - **86.867 ms, 3.03 KiB**
- ...scripts/vendor-1796ecb8.js (dev.gaf.com) - **93.11 ms, 14.71 KiB**
- ...scripts/@jszip-8b0ad6af.js (dev.gaf.com) - **93.733 ms, 29.18 KiB**
- ...scripts/breakpoints-f43a86bc.js (dev.gaf.com) - **96.709 ms, 0.79 KiB**
- ...scripts/@react-dom-a49ada03.js (dev.gaf.com) - **99.097 ms, 40.11 KiB**
- ...scripts/@secure-ls-0f3f561e.js (dev.gaf.com) - **129.057 ms, 14.44 KiB**
- ...scripts/header-b3f2f407.js (dev.gaf.com) - **131.172 ms, 3.82 KiB**
- ...scripts/bodyScrollLock.esm-e1f8a6eb.js (dev.gaf.com) - **130.428 ms, 1.69 KiB**
- ...scripts/index.modern-2d30ca60.js (dev.gaf.com) - **132.341 ms, 1.25 KiB**
- ...scripts/focus-trap.esm-072c478c.js (dev.gaf.com) - **133.945 ms, 5.38 KiB**
- ...scripts/footer-029bd0e6.js (dev.gaf.com) - **129.313 ms, 1.08 KiB**
- ...scripts/alert-banner-c0491c31.js (dev.gaf.com) - **127.724 ms, 1.10 KiB**
- ...scripts/tabbed-featured-content-47502721.js (dev.gaf.com) - **137.783 ms, 1.97 KiB**
- ...scripts/logo-carousel-row-66ee3b7d.js (dev.gaf.com) - **137.032 ms, 1.75 KiB**
- ...scripts/navigation-b4d9163b.js (dev.gaf.com) - **170.642 ms, 19.06 KiB**
- ...scripts/swiper-bundle.min-94dbbf2e.js (dev.gaf.com) - **172.234 ms, 1.45 KiB**
- ...scripts/masonry-gallery-2c883418.js (dev.gaf.com) - **167.578 ms, 0.92 KiB**
- ...scripts/homepage-masthead-31c89d78.js (dev.gaf.com) - **167.375 ms, 1.02 KiB**
- ...scripts/content-grid-88ef622d.js (dev.gaf.com) - **163.301 ms, 1.83 KiB**
- ...scripts/testimonial-carousel-9e2b7e58.js (dev.gaf.com) - **162.821 ms, 1.65 KiB**
- ...scripts/index-33a628ec.js (dev.gaf.com) - **151.051 ms, 2.26 KiB**

...scripts/constants-0ee92e9f.js (dev.gaf.com) - **151.049 ms, 0.73 KiB**

...scripts/zip-ef80688d.js (dev.gaf.com) - **201.49 ms, 0.72 KiB**

...scripts/queryString-ec671c1d.js (dev.gaf.com) - **218.546 ms, 0.99 KiB**

...scripts/index-7789a148.js (dev.gaf.com) - **219.185 ms, 2.28 KiB**

...scripts/@headless-3de195ba.js (dev.gaf.com) - **466.663 ms, 78.05 KiB**

...scripts/engine-ab66680d.js (dev.gaf.com) - **210.713 ms, 1.16 KiB**

...scripts/search-keys-9f2a758a.js (dev.gaf.com) - **211.826 ms, 0.66 KiB**

...Scripts/figure-43fe760a.js (dev.gaf.com)

    ...Scripts/breakpoints-f43a86bc.js (dev.gaf.com) - **56.314 ms, 0.79 KiB**

    ...Scripts/main.bundle.js (dev.gaf.com) - **94.365 ms, 11.15 KiB**

...Scripts/header-b3f2f407.js (dev.gaf.com)

    ...Scripts/bodyScrollLock.esm-e1f8a6eb.js (dev.gaf.com) - **93.503 ms, 1.69 KiB**

    ...Scripts/index.modern-2d30ca60.js (dev.gaf.com) - **92.637 ms, 1.25 KiB**

    ...Scripts/focus-trap.esm-072c478c.js (dev.gaf.com) - **89.091 ms, 5.38 KiB**

...Scripts/footer-029bd0e6.js (dev.gaf.com) - **195.731 ms, 1.08 KiB**

...Scripts/alert-banner-c0491c31.js (dev.gaf.com) - **197.623 ms, 1.10 KiB**

...Scripts/tabbed-featured-content-47502721.js (dev.gaf.com) - **197.686 ms, 1.97 KiB**

...Scripts/masonry-gallery-2c883418.js (dev.gaf.com) - **197.615 ms, 0.92 KiB**

...Scripts/homepage-masthead-31c89d78.js (dev.gaf.com) - **198.193 ms, 1.02 KiB**

...Scripts/content-grid-88ef622d.js (dev.gaf.com) - **440.779 ms, 1.83 KiB**

...Scripts/testimonial-carousel-9e2b7e58.js (dev.gaf.com)

    ...Scripts/navigation-b4d9163b.js (dev.gaf.com) - **92.236 ms, 19.06 KiB**

    ...Scripts/swiper-bundle.min-94dbbf2e.js (dev.gaf.com) - **93.394 ms, 1.45 KiB**

...Scripts/index-33a628ec.js (dev.gaf.com)

    ...Scripts/constants-0ee92e9f.js (dev.gaf.com) - **93.292 ms, 0.73 KiB**

    ...Scripts/zip-ef80688d.js (dev.gaf.com) - **94.451 ms, 0.72 KiB**

    ...Scripts/queryString-ec671c1d.js (dev.gaf.com) - **113.898 ms, 0.99 KiB**

...Scripts/index-7789a148.js (dev.gaf.com)

    ...Scripts/@headless-3de195ba.js (dev.gaf.com) - **102.997 ms, 78.06 KiB**

    ...Scripts/engine-ab66680d.js (dev.gaf.com) - **106.767 ms, 1.16 KiB**

    ...Scripts/search-keys-9f2a758a.js (dev.gaf.com) - **108.352 ms, 0.66 KiB**

...Scripts/@react-dom-a49ada03.js (dev.gaf.com) - **133.022 ms, 40.11 KiB**

...Scripts/@secure-ls-0f3f561e.js (dev.gaf.com) - **112.698 ms, 14.44 KiB**

...Scripts/@jszip-8b0ad6af.js (dev.gaf.com) - **119.294 ms, 29.17 KiB**

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#)

LCP

Element
img

Phase	% of LCP	Timing
TTFB	37%	360 ms
Load Delay	22%	210 ms
Load Time	7%	70 ms
Render Delay	34%	330 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (18)

Hide

Properly size images <span>^</span>
Serve images that are appropriately-sized to save cellular data and improve load time. <a href="#">Learn how to size images.</a> FCP LCP
Defer offscreen images <span>^</span>
Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. <a href="#">Learn how to defer offscreen images.</a> FCP LCP
Minify CSS <span>^</span>
Minifying CSS files can reduce network payload sizes. <a href="#">Learn how to minify CSS.</a> FCP LCP
Minify JavaScript <span>^</span>
Minifying JavaScript files can reduce payload sizes and script parse time. <a href="#">Learn how to minify JavaScript.</a> FCP LCP
Efficiently encode images <span>^</span>

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#) FCP LCP

### Preconnect to required origins ^

#### Warnings:

- A `` was found for "https://fonts.googleapis.com" but was not used by the browser. Only use `preconnect` for important origins that the page will certainly request.
- A `` was found for "https://fonts.gstatic.com" but was not used by the browser. Only use `preconnect` for important origins that the page will certainly request.

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins.](#) LCP FCP

### Avoid multiple page redirects ^

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects.](#) LCP FCP

### Use HTTP/2 ^

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2.](#) LCP FCP

### Use video formats for animated content ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) FCP LCP

### Remove duplicate modules in JavaScript bundles ^

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP

### Preload Largest Contentful Paint image ^

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

### User Timing marks and measures ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

All text remains visible during webfont loads



**Warnings:** Lighthouse was unable to automatically check the `font-display` values for the origin <https://dev.gaf.com>.

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading. [Learn more about font-display](#).

Lazy load third-party resources with facades



Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade](#). TBT

Largest Contentful Paint image was not lazily loaded



Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading](#). LCP

Element

img

Uses passive listeners to improve scrolling performance



Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners](#).

Avoids `document.write()`



For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

Has a `<meta name="viewport">` tag with `width` or `initial-scale`



A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

# Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

## NAMES AND LABELS

**▲ Links do not have a discernible name** ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

Failing Elements

	a.btn.btn--secondary.btn--external
---	------------------------------------

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

## ARIA

**○ ARIA IDs are unique** ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

Failing Elements

ul#header-utility-mobile--fbd33988-095f-4c33-bd63-25d0b9831e45.header__utility-dropdown-list
ul#header-utility-mobile--fbd33988-095f-4c33-bd63-25d0b9831e45.header__utility-dropdown-list

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#)

Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

HTML5 landmark elements are used to improve navigation ^

Landmark elements (`<main>`, `<nav>`, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with `display: none` or `aria-hidden=true`. [Learn how to properly hide offscreen content.](#)

Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by `aria-label` or `aria-labelledby`. [Learn more about custom controls and labels.](#)

○ Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

PASSED AUDITS (27)

Hide

[aria-\*] attributes match their roles ^

Each ARIA role supports a specific subset of aria-\* attributes. Mismatching these invalidates the aria-\* attributes. [Learn how to match ARIA attributes to their roles.](#)

[aria-hidden="true"] is not present on the document <body> ^

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

[role]s have all required [aria-\*] attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

Elements with an ARIA [role] that require children to contain a specific [role] have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

[aria-\*] attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

[aria-\*] attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

Image elements have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

ARIA attributes are used as specified for the element's role ^

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

`[aria-hidden="true"]` elements do not contain focusable descendents ^

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

Elements use only permitted ARIA attributes ^

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

`[role]` values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

Background and foreground colors have a sufficient contrast ratio ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

<html> element has a [lang] attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

<html> element has a valid value for its [lang] attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

Links are distinguishable without relying on color. ^

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

Lists contain only <li> elements and script supporting elements (<script> and <template>). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

List items (<li>) are contained within <ul>, <ol> or <menu> parent elements ^

Screen readers require list items (<li>) to be contained within a parent <ul>, <ol> or <menu> to be announced properly. [Learn more about proper list structure.](#)

No element has a [tabindex] value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#)

Touch targets have sufficient size and spacing. ^

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

Values assigned to `role=""` are valid ARIA roles. ^

ARIA roles enable assistive technologies to know the role of each element on the web page. If the role values are misspelled, not existing ARIA role values, or abstract roles, then the purpose of the element will not be communicated to users of assistive technologies. [Learn more about ARIA roles.](#)

Deprecated ARIA roles were not used ^

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#)

Image elements do not have `[alt]` attributes that are redundant text. ^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

NOT APPLICABLE (28)

Hide

`[accesskey]` values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

`button`, `link`, and `menuitem` elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

Elements with `role="dialog"` or `role="alertdialog"` have accessible names. ^

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

ARIA `meter` elements have accessible names ^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

ARIA `progressbar` elements have accessible names ^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

`[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

Elements with the `role=text` attribute do not have focusable descendents. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=text` attribute.](#)

ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling `treeitem` elements.](#)

The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

`<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

Definition list items are wrapped in `<d1>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<d1>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

`<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

`<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

Input buttons have discernible text. ^

Adding discernible and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

`<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

`<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements](#).

- Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element](#).

- Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption](#).

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute](#).

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers](#).

- `[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute](#).

- `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions](#).



GENERAL

▲ Uses deprecated APIs — 1 warning found

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Deprecation / Warning	Source
azure.com	
UnloadHandler	ai.2.min.js:5

▲ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Show 3rd-party resources (7)

Source	Description
gaf.com <span>1st Party</span>	Refused to execute inline script because it violates the following Content Security Policy directive: "script-src 'nonce-sToSi/ofpNDbv9VjojpK3b4CcniJmlSpga4IPLAAImY=' 'self' 'unsafe-eval' 'unsafe-inline' https://*.gaf.com https://gafcom.mpeasylink.com https://js.monitor.azure.com https://www.googletagmanager.com https://cdn.cookielaw.org https://*.go-mpulse.net https://*.cloudfront.net https://www.youtube.com https://*.licdn.com https://googleads.g.doubleclick.net https://bat.bing.com https://connect.facebook.net https://img03.en25.com https://*.hotjar.com https://ws.contobox.com https://www.clarity.ms https://geoip-js.com https://*.googleapis.com https://tracking.skyword.com https://www.google.com https://www.gstatic.com https://*.bazaarvoice.com https://www.googleadservices.com https://js.hsforms.net https://22168879.fs1.hubspotusercontent-na1.net https://*.cloudflare.com https://roofreportcalculator.vercel.app https://*.ceros.com https://eave.us https://cdn.jsdelivr.net https://intheworks.site https://mpsnare.iesnare.com". Note that 'unsafe-inline' is ignored if either a hash or nonce value is present in the source list.

Source

Description

dev.gaf.com/:279

Refused to execute inline script because it violates the following Content Security Policy directive: "script-src 'nonce-sToSi/oFpNDbV9VjojpK3b4CcniJm1Spga4IPLAAImY=' 'self' 'unsafe-eval' 'unsafe-inline' https://\*.gaf.com https://gafcom.mpeasylink.com https://js.monitor.azure.com https://www.googletagmanager.com https://cdn.cookie law.org https://\*.go-mpulse.net https://\*.cloudfront.net https://www.youtube.com https://\*.licdn.com https://googleads.g.doubleclick.net https://bat.bing.com https://connect.facebook.net https://img03.en25.com https://\*.hotjar.com https://ws.contobox.com https://www.clarity.ms https://geoip-js.com https://\*.googleapis.com https://tracking.skyword.com https://www.google.com https://www.gstatic.com https://\*.bazaarvoice.com https://www.googleadservices.com https://js.hsforms.net https://22168879.fs1.hubspotusercontent-na1.net https://\*.cloudflare.com https://roofreportcalculator.vercel.app https://\*.ceros.com https://eave.us https://cdn.jsdelivr.net https://intheworks.site https://mpsnare.iesnare.com". Note that 'unsafe-inline' is ignored if either a hash or nonce value is present in the source list.

dev.gaf.com/:280

Refused to execute inline script because it violates the following Content Security Policy directive: "script-src 'nonce-sToSi/oFpNDbV9VjojpK3b4CcniJm1Spga4IPLAAImY=' 'self' 'unsafe-eval' 'unsafe-inline' https://\*.gaf.com https://gafcom.mpeasylink.com https://js.monitor.azure.com https://www.googletagmanager.com https://cdn.cookie law.org https://\*.go-mpulse.net https://\*.cloudfront.net https://www.youtube.com https://\*.licdn.com https://googleads.g.doubleclick.net https://bat.bing.com https://connect.facebook.net https://img03.en25.com https://\*.hotjar.com https://ws.contobox.com https://www.clarity.ms https://geoip-js.com https://\*.googleapis.com https://tracking.skyword.com https://www.google.com https://www.gstatic.com https://\*.bazaarvoice.com https://www.googleadservices.com https://js.hsforms.net https://22168879.fs1.hubspotusercontent-na1.net https://\*.cloudflare.com https://roofreportcalculator.vercel.app https://\*.ceros.com https://eave.us https://cdn.jsdelivr.net https://intheworks.site https://mpsnare.iesnare.com". Note that 'unsafe-inline' is ignored if either a hash or nonce value is present in the source list.

Source

Description

gtm.js:633

Refused to execute inline script because it violates the following Content Security Policy directive: "script-src 'nonce-sToSi/oFpNDbV9VjojpK3b4CcniJm1Spga4IPLAAImY=' 'self' 'unsafe-eval' 'unsafe-inline' https://\*.gaf.com https://gafcom.mpeasylink.com https://js.monitor.azure.com https://www.googletagmanager.com https://cdn.cookie law.org https://\*.go-mpulse.net https://\*.cloudfront.net https://www.youtube.com https://\*.licdn.com https://googleads.g.doubleclick.net https://bat.bing.com https://connect.facebook.net https://img03.en25.com https://\*.hotjar.com https://ws.contobox.com https://www.clarity.ms https://geoip-js.com https://\*.googleapis.com https://tracking.skyword.com https://www.google.com https://www.gstatic.com https://\*.bazaarvoice.com https://www.googleadservices.com https://js.hsforms.net https://22168879.fs1.hubspotusercontent-na1.net https://\*.cloudflare.com https://roofreportcalculator.vercel.app https://\*.ceros.com https://eave.us https://cdn.jsdelivr.net https://intheworks.site https://mpsnare.iesnare.com". Note that 'unsafe-inline' is ignored if either a hash or nonce value is present in the source list.

gtm.js:633

Refused to execute inline script because it violates the following Content Security Policy directive: "script-src 'nonce-sToSi/oFpNDbV9VjojpK3b4CcniJm1Spga4IPLAAImY=' 'self' 'unsafe-eval' 'unsafe-inline' https://\*.gaf.com https://gafcom.mpeasylink.com https://js.monitor.azure.com https://www.googletagmanager.com https://cdn.cookie law.org https://\*.go-mpulse.net https://\*.cloudfront.net https://www.youtube.com https://\*.licdn.com https://googleads.g.doubleclick.net https://bat.bing.com https://connect.facebook.net https://img03.en25.com https://\*.hotjar.com https://ws.contobox.com https://www.clarity.ms https://geoip-js.com https://\*.googleapis.com https://tracking.skyword.com https://www.google.com https://www.gstatic.com https://\*.bazaarvoice.com https://www.googleadservices.com https://js.hsforms.net https://22168879.fs1.hubspotusercontent-na1.net https://\*.cloudflare.com https://roofreportcalculator.vercel.app https://\*.ceros.com https://eave.us https://cdn.jsdelivr.net https://intheworks.site https://mpsnare.iesnare.com". Note that 'unsafe-inline' is ignored if either a hash or nonce value is present in the source list.

gtm.js:633

Refused to execute inline script because it violates the following Content Security Policy directive: "script-src 'nonce-sToSi/oFpNDbV9VjojpK3b4CcniJm1Spga4IPLAAImY=' 'self' 'unsafe-eval' 'unsafe-inline' https://\*.gaf.com https://gafcom.mpeasylink.com

Source

Description

https://js.monitor.azure.com https://www.googletagmanager.com  
https://cdn.cookieclaw.org https://\*.go-mpulse.net  
https://\*.cloudfront.net https://www.youtube.com https://\*.licdn.com  
https://googleads.g.doubleclick.net https://bat.bing.com  
https://connect.facebook.net https://img03.en25.com  
https://\*.hotjar.com https://ws.contobox.com https://www.clarity.ms  
https://geop-javascript.com https://\*.googleapis.com  
https://tracking.skyword.com https://www.google.com  
https://www.gstatic.com https://\*.bazaarvoice.com  
https://www.googleadservices.com https://js.hsforms.net  
https://22168879.fs1.hubspotusercontent-na1.net  
https://\*.cloudflare.com https://roofreportcalculator.vercel.app  
https://\*.ceros.com https://eave.us https://cdn.jsdelivr.net  
https://intheworks.site https://mpsnare.iesnare.com". Note that  
'unsafe-inline' is ignored if either a hash or nonce value is present  
in the source list.

Refused to execute inline script because it violates the following  
Content Security Policy directive: "script-src 'nonce-  
sToSi/oFpNDbV9VjojpK3b4CcnjmlSpga4IPLAAImY=' 'self' 'unsafe-eval'  
'unsafe-inline' https://\*.gaf.com https://gafcom.mpeasylink.com  
https://js.monitor.azure.com https://www.googletagmanager.com  
https://cdn.cookieclaw.org https://\*.go-mpulse.net  
https://\*.cloudfront.net https://www.youtube.com https://\*.licdn.com  
https://googleads.g.doubleclick.net https://bat.bing.com  
https://connect.facebook.net https://img03.en25.com  
https://\*.hotjar.com https://ws.contobox.com https://www.clarity.ms  
https://geop-javascript.com https://\*.googleapis.com  
https://tracking.skyword.com https://www.google.com  
https://www.gstatic.com https://\*.bazaarvoice.com  
https://www.googleadservices.com https://js.hsforms.net  
https://22168879.fs1.hubspotusercontent-na1.net  
https://\*.cloudflare.com https://roofreportcalculator.vercel.app  
https://\*.ceros.com https://eave.us https://cdn.jsdelivr.net  
https://intheworks.site https://mpsnare.iesnare.com". Note that  
'unsafe-inline' is ignored if either a hash or nonce value is present  
in the source list.

gtm.js:633

gtm.js:633

Refused to execute inline script because it violates the following  
Content Security Policy directive: "script-src 'nonce-  
sToSi/oFpNDbV9VjojpK3b4CcnjmlSpga4IPLAAImY=' 'self' 'unsafe-eval'  
'unsafe-inline' https://\*.gaf.com https://gafcom.mpeasylink.com  
https://js.monitor.azure.com https://www.googletagmanager.com  
https://cdn.cookieclaw.org https://\*.go-mpulse.net  
https://\*.cloudfront.net https://www.youtube.com https://\*.licdn.com  
https://googleads.g.doubleclick.net https://bat.bing.com

Source

Description

gtm.js:633

https://connect.facebook.net https://img03.en25.com  
 https://\*.hotjar.com https://ws.contobox.com https://www.clarity.ms  
 https://geoip-js.com https://\*.googleapis.com  
 https://tracking.skyword.com https://www.google.com  
 https://www.gstatic.com https://\*.bazaarvoice.com  
 https://www.googleadservices.com https://js.hsforms.net  
 https://22168879.fs1.hubspotusercontent-na1.net  
 https://\*.cloudflare.com https://roofreportcalculator.vercel.app  
 https://\*.ceros.com https://eave.us https://cdn.jsdelivr.net  
 https://intheworks.site https://mpsnare.iesnare.com". Note that  
 'unsafe-inline' is ignored if either a hash or nonce value is present  
 in the source list.

Refused to execute inline script because it violates the following  
 Content Security Policy directive: "script-src 'nonce-  
 sToSi/ofpNDbV9VjojpK3b4CcniJmISpga4IPLAAImY=' 'self' 'unsafe-eval'  
 'unsafe-inline' https://\*.gaf.com https://gafcom.mpeasylink.com  
 https://js.monitor.azure.com https://www.googletagmanager.com  
 https://cdn.cookie law.org https://\*.go-mpulse.net  
 https://\*.cloudfront.net https://www.youtube.com https://\*.licdn.com  
 https://googleads.g.doubleclick.net https://bat.bing.com  
 https://connect.facebook.net https://img03.en25.com  
 https://\*.hotjar.com https://ws.contobox.com https://www.clarity.ms  
 https://geoip-js.com https://\*.googleapis.com  
 https://tracking.skyword.com https://www.google.com  
 https://www.gstatic.com https://\*.bazaarvoice.com  
 https://www.googleadservices.com https://js.hsforms.net  
 https://22168879.fs1.hubspotusercontent-na1.net  
 https://\*.cloudflare.com https://roofreportcalculator.vercel.app  
 https://\*.ceros.com https://eave.us https://cdn.jsdelivr.net  
 https://intheworks.site https://mpsnare.iesnare.com". Note that  
 'unsafe-inline' is ignored if either a hash or nonce value is present  
 in the source list.

gtm.js:633

Refused to load the script 'https://web-2-tel.com/org-sdk?  
 identifier=2577eab7dd6b4b2a949585befa72538c' because it violates the  
 following Content Security Policy directive: "script-src 'nonce-  
 sToSi/ofpNDbV9VjojpK3b4CcniJmISpga4IPLAAImY=' 'self' 'unsafe-eval'  
 'unsafe-inline' https://\*.gaf.com https://gafcom.mpeasylink.com  
 https://js.monitor.azure.com https://www.googletagmanager.com  
 https://cdn.cookie law.org https://\*.go-mpulse.net  
 https://\*.cloudfront.net https://www.youtube.com https://\*.licdn.com  
 https://googleads.g.doubleclick.net https://bat.bing.com  
 https://connect.facebook.net https://img03.en25.com  
 https://\*.hotjar.com https://ws.contobox.com https://www.clarity.ms  
 https://geoip-js.com https://\*.googleapis.com

Source

Description

https://tracking.skyword.com https://www.google.com  
https://www.gstatic.com https://\*.bazaarvoice.com  
https://www.googleadservices.com https://js.hsforms.net  
https://22168879.fs1.hubspotusercontent-na1.net  
https://\*.cloudflare.com https://roofreportcalculator.vercel.app  
https://\*.ceros.com https://eave.us https://cdn.jsdelivr.net  
https://intheworks.site https://mpsnare.iesnare.com". Note that  
'script-src-elem' was not explicitly set, so 'script-src' is used as  
a fallback.

▲ Issues were logged in the [Issues](#) panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type

Content security policy

/org-sdk?identifier=2577eab... (web-2-tel.com)

○ Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Name

Version

core-js

TRUST AND SAFETY

▲ Requests the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)

Source

gaf.com 1st Party

main.bundle.js:1

○ Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
Missing `base-uri` allows injected ` <base/> ` tags to set the base URL for all relative URLs (e.g. scripts) to an attacker controlled domain. Consider setting `base-uri` to `none` or `self`.	base-uri	High
Host allowlists can frequently be bypassed. Consider using CSP nonces or hashes instead, along with `strict-dynamic` if necessary.	script-src	High

## USER EXPERIENCE

▲ Displays images with incorrect aspect ratio ^

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

	URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)
gaf.com <span>1st Party</span>			
img.header__primary-featured-image	...featured-.../300x300.jpg? as=... (dev.gaf.com)	315 x 205 (1.54)	320 x 218 (1.47)
img.header__primary-featured-image	...featured-.../300x300.jpg? as=... (dev.gaf.com)	315 x 205 (1.54)	320 x 218 (1.47)
img.header__primary-featured-image	...featured-content/500x300.jpg? as=... (dev.gaf.com)	315 x 205 (1.54)	320 x 192 (1.67)

	URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)
img.header__primary-featured-image	...featured-content/500x300.jpg? as=... (dev.gaf.com)	315 x 205 (1.54)	320 x 192 (1.67)
img.header__primary-featured-image	...featured-.../208x208.jpg? as=... (dev.gaf.com)	315 x 205 (1.54)	208 x 208 (1.00)
img.header__primary-featured-image	...featured-.../fpo-208x208.png? as=... (dev.gaf.com)	315 x 205 (1.54)	208 x 208 (1.00)
img.header__primary-featured-image	...featured-.../fpo-208x208.png? as=... (dev.gaf.com)	315 x 205 (1.54)	208 x 208 (1.00)
img.header__primary-featured-image	...featured-.../208x208.jpg? as=... (dev.gaf.com)	315 x 205 (1.54)	208 x 208 (1.00)
img.header__primary-featured-image	...featured-.../fpo-208x208.png? as=... (dev.gaf.com)	315 x 205 (1.54)	208 x 208 (1.00)
img.header__primary-featured-image	...featured-.../fpo-208x208.png? as=... (dev.gaf.com)	315 x 205 (1.54)	208 x 208 (1.00)

PASSED AUDITS (9)

Hide

<p>Uses HTTPS <span style="float: right;">^</span></p> <p>All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding <a href="#">mixed content</a>, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. <a href="#">Learn more about HTTPS.</a></p>
<p>Avoids third-party cookies <span style="float: right;">^</span></p> <p>Support for third-party cookies will be removed in a future version of Chrome. <a href="#">Learn more about phasing out third-party cookies.</a></p>
<p>Allows users to paste into input fields <span style="float: right;">^</span></p> <p>Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. <a href="#">Learn more about user-friendly input fields.</a></p>

Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications.](#)

Serves images with appropriate resolution



Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

Has a `<meta name="viewport">` tag with `width` or `initial-scale`



A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#)

Page has the HTML doctype



Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

Properly defines charset



A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

Page has valid source maps



Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#)

Show 3rd-party resources (1)

URL	Map URL
azure.com	
...b/ai.2.min.js (js.monitor.azure.com)	...b/ai.2.8.18.min.js.map (js.monitor.azure.com)
gaf.com <span>1st Party</span>	
...Scripts/zip-ef80688d.js (dev.gaf.com)	...Scripts/zip-ef80688d.js.map (dev.gaf.com)
...Scripts/vendor-1796ecb8.js (dev.gaf.com)	...Scripts/vendor-1796ecb8.js.map (dev.gaf.com)

## URL

## Map URL

...Scripts/testimonial-carousel-  
9e2b7e58.js (dev.gaf.com)

...Scripts/testimonial-carousel-  
9e2b7e58.js.map (dev.gaf.com)

...Scripts/tabbed-featured-content-  
47502721.js (dev.gaf.com)

...Scripts/tabbed-featured-content-  
47502721.js.map (dev.gaf.com)

...Scripts/swiper-bundle.min-94dbbf2e.js (dev.gaf.com)

...Scripts/swiper-bundle.min-  
94dbbf2e.js.map (dev.gaf.com)

...Scripts/search-keys-9f2a758a.js (dev.gaf.com)

...Scripts/search-keys-9f2a758a.js.map (dev.gaf.com)

...Scripts/queryString-ec671c1d.js (dev.gaf.com)

...Scripts/queryString-ec671c1d.js.map (dev.gaf.com)

...Scripts/navigation-b4d9163b.js (dev.gaf.com)

...Scripts/navigation-b4d9163b.js.map (dev.gaf.com)

...Scripts/masonry-gallery-2c883418.js (dev.gaf.com)

...Scripts/masonry-gallery-2c883418.js.map (dev.gaf.com)

...Scripts/main.bundle.js?  
v=1.0.8976.23267 (dev.gaf.com)

...Scripts/main.bundle.js.map (dev.gaf.com)

...Scripts/main.bundle.js (dev.gaf.com)

...Scripts/main.bundle.js.map (dev.gaf.com)

...Scripts/logo-carousel-row-66ee3b7d.js (dev.gaf.com)

...Scripts/logo-carousel-row-  
66ee3b7d.js.map (dev.gaf.com)

...Scripts/index.modern-2d30ca60.js (dev.gaf.com)

...Scripts/index.modern-2d30ca60.js.map (dev.gaf.com)

...Scripts/index-7789a148.js (dev.gaf.com)

...Scripts/index-7789a148.js.map (dev.gaf.com)

...Scripts/index-33a628ec.js (dev.gaf.com)

...Scripts/index-33a628ec.js.map (dev.gaf.com)

...Scripts/homepage-masthead-  
31c89d78.js (dev.gaf.com)

...Scripts/homepage-masthead-  
31c89d78.js.map (dev.gaf.com)

...Scripts/header-b3f2f407.js (dev.gaf.com)

...Scripts/header-b3f2f407.js.map (dev.gaf.com)

...Scripts/footer-029bd0e6.js (dev.gaf.com)

...Scripts/footer-029bd0e6.js.map (dev.gaf.com)

...Scripts/focus-trap.esm-072c478c.js (dev.gaf.com)

...Scripts/focus-trap.esm-072c478c.js.map (dev.gaf.com)

...Scripts/figure-43fe760a.js (dev.gaf.com)

...Scripts/figure-43fe760a.js.map (dev.gaf.com)

URL	Map URL
...Scripts/engine-ab66680d.js (dev.gaf.com)	...Scripts/engine-ab66680d.js.map (dev.gaf.com)
...Scripts/content-grid-88ef622d.js (dev.gaf.com)	...Scripts/content-grid-88ef622d.js.map (dev.gaf.com)
...Scripts/constants-0ee92e9f.js (dev.gaf.com)	...Scripts/constants-0ee92e9f.js.map (dev.gaf.com)
...Scripts/breakpoints-f43a86bc.js (dev.gaf.com)	...Scripts/breakpoints-f43a86bc.js.map (dev.gaf.com)
...Scripts/bodyScrollLock.esm-e1f8a6eb.js (dev.gaf.com)	...Scripts/bodyScrollLock.esm-e1f8a6eb.js.map (dev.gaf.com)
...Scripts/alert-banner-c0491c31.js (dev.gaf.com)	...Scripts/alert-banner-c0491c31.js.map (dev.gaf.com)
...Scripts/@secure-ls-0f3f561e.js (dev.gaf.com)	...Scripts/@secure-ls-0f3f561e.js.map (dev.gaf.com)
...Scripts/@react-dom-a49ada03.js (dev.gaf.com)	...Scripts/@react-dom-a49ada03.js.map (dev.gaf.com)
...Scripts/@jszip-8b0ad6af.js (dev.gaf.com)	...Scripts/@jszip-8b0ad6af.js.map (dev.gaf.com)
...Scripts/@headless-3de195ba.js (dev.gaf.com)	...Scripts/@headless-3de195ba.js.map (dev.gaf.com)

NOT APPLICABLE (2)

Hide

<input type="radio"/> Redirects HTTP traffic to HTTPS <span style="float: right;">^</span>
<p>Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. <a href="#">Learn more.</a></p>
<input type="radio"/> Document uses legible font sizes <span style="float: right;">^</span>
<p>Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have &gt;60% of page text ≥12px. <a href="#">Learn more about legible font sizes.</a></p>



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

#### ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

<input type="radio"/> Structured data is valid <span style="float: right;">^</span>
Run the <a href="#">Structured Data Testing Tool</a> and the <a href="#">Structured Data Linter</a> to validate structured data. <a href="#">Learn more about Structured Data</a> .

Run these additional validators on your site to check additional SEO best practices.

#### PASSED AUDITS (10)

Hide

Page isn't blocked from indexing <span style="float: right;">^</span>
Search engines are unable to include your pages in search results if they don't have permission to crawl them. <a href="#">Learn more about crawler directives</a> .
Document has a <title> element <span style="float: right;">^</span>
The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. <a href="#">Learn more about document titles</a> .
Document has a meta description <span style="float: right;">^</span>
Meta descriptions may be included in search results to concisely summarize page content. <a href="#">Learn more about the meta description</a> .
Page has successful HTTP status code <span style="float: right;">^</span>
Pages with unsuccessful HTTP status codes may not be indexed properly. <a href="#">Learn more about HTTP status codes</a> .
Links have descriptive text <span style="float: right;">^</span>
Descriptive link text helps search engines understand your content. <a href="#">Learn how to make links more accessible</a> .
Links are crawlable <span style="float: right;">^</span>
Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. <a href="#">Learn how to make links crawlable</a>

robots.txt is valid	^
If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. <a href="#">Learn more about robots.txt.</a>	
Image elements have [alt] attributes	^
Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. <a href="#">Learn more about the alt attribute.</a>	
Document has a valid hreflang	^
hreflang links tell search engines what version of a page they should list in search results for a given language or region. <a href="#">Learn more about hreflang.</a>	
Document has a valid rel=canonical	^
Canonical links suggest which URL to show in search results. <a href="#">Learn more about canonical links.</a>	

Captured at Jul 30, 2024, 3:29  
PM EDT  
Initial page load

Emulated Desktop with  
Lighthouse 12.0.0  
Custom throttling

Single page session  
Using Chromium 127.0.0.0 with  
devtools