



DRILL-TEC™ 3"

FLAT AND RECESSED STEEL PLATES



**Drill-Tec™ 3" Flat
Steel Plate**



**Drill-Tec™ 3" Recessed
Steel Plate**

Description

Drill-Tec™ 3" Flat Steel Plates and Drill-Tec™ 3" Recessed Steel Plates are made of Galvalume® coated steel. The round design provides an even distribution of loads and eliminates sharp corners that can damage the insulation or membrane.

Drill-Tec™ 3" Flat Steel Plate is used when attaching coverboards, insulation, and BUR base sheets to the substrate with Drill-Tec™ #12 DP Fasteners or Drill-Tec™ #14 HD Fasteners.

Drill-Tec™ 3" Recessed Steel Plate is used when attaching insulation to the substrate with Drill-Tec™ #12 DP Fasteners, Drill-Tec™ #12 DPH Fasteners, or Drill-Tec™ #14 HD Fasteners.

Refer to GAF-published application instructions for complete installation requirements. For applications not listed or with questions, please contact Technical Support at 1-800-766-3411 or technicalquestions@gaf.com.

Product Data

Plate	Application	Diameter	Packaging (Bucket)	Weight
Drill-Tec™ 3" Recessed Steel Plate	Insulation	3" (76 mm)	1,000	35 lb. (15.88 kg)
Drill-Tec™ 3" Flat Steel Plate	Insulation	3" (76 mm)	1,000	34 lb. (15.42 kg)

Note: Galvalume® is a registered trademark of BIEC International Inc. and some of its licensed producers.

Code Approvals



Physical Data

Drill-Tec™ 3" (76 mm) Flat Steel Plate

Application: Attaches insulation to the substrate.

Fastener: Drill-Tec™ #12 DP Fasteners or Drill-Tec™ #14 HD Fasteners

Drill-Tec™ 3" (76 mm) Recessed Steel Plate

Application: Attaches insulation to the substrate.

Fastener: Drill-Tec™ #12 DP Fasteners, Drill-Tec™ #12 DPH Fasteners, or Drill-Tec™ #14 HD Fasteners