

**1. PRODUCT AND COMPANY IDENTIFICATION****1.2. Product identifiers**Product name : **United Coating Unisil Silicone Flashing****1.3. Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Silicone sealant.

**1.4. Details of the supplier of the safety data sheet**Supplier : GAF Materials Corporation  
1 Campus Drive,  
Parsippany, NJ 07054  
USA

Telephone : 800-766-3411

**1.5. Emergency telephone number**

24 Hour Emergency Phone #: 800-424-9300 (ChemTrec)

**2. HAZARDS IDENTIFICATION****2.1. Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Skin Sensitizer, Category 1

Eye Irritant Category 2A

STOT RE, Category 3 (Respiratory System)

Reproductive Toxicity Category 2

Chronic Aquatic Toxicity Category 4



Pictograms:

Signal word: Warning

## Hazard statement(s)

H319:	Causes serious eye irritation.
H317:	May cause an allergic skin reaction.
H373:	Causes damage to organs through prolonged or repeated exposure.
H361:	Suspected of damaging fertility or the unborn child.
H413:	May cause long lasting harmful effects to aquatic life.

## Precautionary statement(s)

P264:	Wash hands thoroughly after handling
P270:	Do not eat, drink or smoke when using this product
P280:	Wear protective gloves/protective clothing/eye protection/face protection
P261:	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P271:	Use only outdoors or in a well-ventilated area.
P201:	Obtain special instructions before use

# SAFETY DATA SHEET

## Unisil Silicone Flashing

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

CHEMICAL NAME	CAS #	WT %
Liquid Silicone Polymer	70131-67-8	40-50
Limestone	1317-65-3	25-35
Polydimethylsiloxane	63148-62-9	5-15
2-Butanone, O, O', O"- (Methisilyldyne) Trioxime	22984-54-9	1-10
Titanium Dioxide	13463-67-7	1-10
Octamethylcyclotetrasiloxane	556-67-2	1-10
Silicon dioxide	112945-52-5	1-10

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder contaminated clothing before re-use.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

#### 5.3 Advice for firefighters

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

#### 5.4 Further information

Use water spray to cool unopened containers.

# SAFETY DATA SHEET

## Unisil Silicone Flashing

### 6. ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. For personal protection see section 8.

**6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**6.3 Methods and materials for containment and cleaning up**

Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Soak up with a non-combustible absorbent material and place in an appropriate container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see section 13).

**6.4 Reference to other sections**

For disposal see section 13.

### 7. HANDLING AND STORAGE

**7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**8.1 Control parameters**

**Components with workplace control parameters**

Chemical Name	CAS#	ACGIH TWA	OSHA TWA	WEEL
Liquid Silicone Polymer	70131-67-8	Not Listed	Not Listed	Not Listed
Limestone	1317-65-3	10 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
Polydimethylsiloxane	63148-62-9	Not Listed	Not Listed	Not Listed
2-Butanone, O, O', O''-(Methisilylidyne) Trioxime	22984-54-9	Not Listed	Not Listed	Not Listed
Titanium Dioxide	13463-67-7	10 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
Octamethylcyclotetrasiloxane	556-67-2	Not Listed	Not Listed	Not Listed
Silicon dioxide	112945-52-5	6 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	3 mg/m <sup>3</sup> Respirable dust

**8.2 Exposure controls**

**Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Personal protective equipment**

**Eye/face protection**

Safety glasses or chemical goggles as appropriate to prevent eye contact.

# SAFETY DATA SHEET

## Unisil Silicone Flashing

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### Body Protection

Use body protection appropriate to prevent contact (e.g. lab coat, overalls).

### Respiratory protection

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards.

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Liquid
APPEARANCE & ODOR:	White liquid with a mild odor
ODOR THRESHOLD (PPM):	Not Available
VAPOR PRESSURE (mmHg):	Not Available
DENSITY:	Not Available
EVAPORATION RATE (nBuAc = 1):	<1
BOILING POINT (C°):	Not Available
FREEZING POINT (C°):	Not Available
pH:	Not Available
VISCOSITY, Dynamic	Not Available
SOLUBILITY IN WATER:	Negligible
FLASH POINT:	>200°F (>92.2°C)
AUTOIGNITION TEMPERATURE:	Not Established
LEL	Not Established
UEL	Not Established

---

## 10. STABILITY AND REACTIVITY

- 10.1 **Reactivity**  
No data available
- 10.2 **Chemical stability**  
Stable under recommended storage conditions.
- 10.3 **Possibility of hazardous reactions**  
None known.
- 10.4 **Conditions to avoid**  
Avoid moisture. Avoid direct sunlight. Avoid excessive temperatures.
- 10.5 **Incompatible materials**  
Strong oxidizing agents, acids, isocyanates.
- 10.6 **Hazardous decomposition products**  
Carbon monoxide, carbon dioxide.

---

## 11. TOXICOLOGICAL INFORMATION

- 11.1 **Information on toxicological effects Acute toxicity**  
Toxicity data is not available for this product.

# SAFETY DATA SHEET

## Unisil Silicone Flashing

Silicon dioxide:

LD50 Oral - Rat - male - 3160 mg/kg

Inhalation TCLo rat (male/female): 50 mg/m<sup>3</sup> (Carcinogenic)

**SUSPECTED CANCER AGENT:** One or more of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore are considered to be, or suspected to be a cancer-causing agent by these agencies.

### Irritancy of product

Contact with this product can be irritating to exposed skin, respiratory system, and eyes.

**SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:** Respiratory System

**SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:** None know

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system

### Specific target organ toxicity - repeated exposure

### Aspiration hazard

No data available

---

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No specific data is currently available on this product's effects on plants or animals, however release of this product is expected to cause long term adverse effects on the aquatic environment.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste disposal methods

Waste disposal must be in accordance with appropriate Federal, State, and local regulations.

---

## 14. TRANSPORT INFORMATION

### DOT (US)

Not regulated.

### IMDG

Not regulated.



# SAFETY DATA SHEET

## Unisil Silicone Flashing

### IATA

Not regulated.

---

### 15. REGULATORY INFORMATION

#### **SARA 313 REPORTING:**

**TSCA:** All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

#### **SARA 311/312:**

Acute Health: Yes                      Chronic Health: No                      Fire: No                      Reactivity: No

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lb. (4,540 kg) may apply, per 40 CFR 370.20.

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None known

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):**  
Titanium Dioxide – Cancer hazard.

#### **CANADIAN REGULATIONS:**

**CANADIAN DSL/NDL INVENTORY STATUS:** All of the components of this product are on the DSL Inventory

**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:** No component of this product is on the CEPA First Priorities Substance Lists.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** Complies with WHMIS 2015

#### **EUROPEAN ECONOMIC COMMUNITY INFORMATION:**

##### **EU LABELING AND CLASSIFICATION:**

**Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.**

#### **AUSTRALIAN INFORMATION FOR PRODUCT:**

**AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS:** All components of this product are listed or exempt from listing on the AICS.

**STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS:** Not applicable.

#### **JAPANESE INFORMATION FOR PRODUCT:**

**JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS:** The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

#### **INTERNATIONAL CHEMICAL INVENTORIES:**

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac:	Listed
Australian Inventory of Chemical Substances (AICS):	Listed
Korean Existing Chemicals List (ECL):	Listed
Japanese Existing National Inventory of Chemical Substances (ENCS):	Listed
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Listed
Swiss Giftliste List of Toxic Substances:	Listed
U.S. TSCA:	Listed



# SAFETY DATA SHEET

## Unisil Silicone Flashing

---

### 16. OTHER INFORMATION

#### HMIS Rating

Health hazard:	2
Chronic Health Hazard:	
Flammability:	1
Physical Hazard	0

#### NFPA Rating

Health hazard:	2
Fire Hazard:	1
Reactivity Hazard:	1

#### ADDITIONAL COMMENTS:

N/A

#### DATE OF PREVIOUS SDS:

N/A

#### CHANGES SINCE PREVIOUS SDS:

New Product

**This information relates to the specific material designated and may not be valid for such material used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.**